## GEO4-1410, Deformation Mechanisms and Transport in Rocks.

## Tentamen: Transport and Effects of Fluids

Docent: Dr. C.J. Peach

Datum: 11-03-2011, 13:30-16:30, BBL-2.05

## Instructions:

- Read all questions through, thoroughly, before answering.
- Answer question 1 plus any 3 from the remaining questions, (i.e. answer a total of 4 questions, including question 1).
- Clearly label your answers with the question number.
- · Use S.I. units, unless stated otherwise.
- Show any calculation steps clearly and use annotated diagrams where appropriate.
- Write your name clearly on each separate answer sheet.
- Duration of examination: 3 hours

## Questions:

- 1.
  - ∨a) What is meant by the term representative elementary volume (REV), in descriptions of transport properties used for thermo-hydro-mechanical-chemical modelling?
  - √b) Write Darcy's law in terms of hydraulic head, hydraulic conductivity and specific discharge (Darcy velocity) and state the units of each parameter? Give the relation between hydraulic conductivity and permeability.
  - C) List the requirements for Darcy's law to be valid as a description of fluid-flow in porous media? Give examples, together with an explanation, of geological settings and fluid/rock properties where problems of validity are likely to be encountered?
  - d) Show the general structure of the permeability tensor for both an isotropic and an anisotropic porous medium, giving geological examples of each medium.
  - ✓ e) Why is permeability not always a direct function of porosity?
- √ f) What relation is often used to link local microscopic (pore scale) flows to macroscopic measurable bulk flows described by Darcy's law? What factor links these two quantities in the relation?
- g) Give examples of sources and sinks of fluid in geological formations. What does a negative divergence of a fluid flow velocity field signify?
  - h) A rock has a permeability of  $3 \times 10^{-16}$  m<sup>2</sup> to water with dynamic viscosity 1 mPa.s. What will the permeability of this rock be to oil with a higher viscosity of 10mPa.s and lower density of 800kg.m<sup>-3</sup>?
  - What laboratory methods could be used to measure the low permeability (<10<sup>-18</sup> m<sup>2</sup>) expected for reservoir-caprock seals and underground formations suitable for hazardous waste containment? What are the advantages of these methods over simple steady state Darcy flow-through determinations?
  - Jefine tortuosity. What role does tortuosity play in the formulation of Darcy's law from simple models of connected microscopic flow elements (capillaries, etc.)?
  - k) What are lamba values in descriptions of pore fluid pressure? What are the immediate likely consequences of rocks attaining lambda values greater than 1?
- Why do flows in porous media containing multiple immiscible fluid phases, exhibit hysteresis and even blockage under low pressure gradients?

- 2.
- a) What is percolation theory and how may it be applied to poorly connected systems to provide estimates of permeability?
- b) What tests can be applied to systems of poorly connected elements of transport paths to estimate their degree of connectivity?
- c) What is a fractal object and when do percolation systems behave as fractals?
- d) The probable extent (P) and rate of growth of through-connection for site or bond clusters in percolation, by random addition of sites or bonds at occupation-probability p, is given by critical-growth power laws such as  $P = (p-p_c)^{\beta}$ , just above the percolation limit  $p_c$ . For "2D" percolation systems  $\beta = 5/36$ . The sizes of percolation clusters  $S_{\infty}$ , near the percolation threshold, grow as  $S_{\infty} \propto L^D$ . Where D = 91/48 for "2D" percolation systems and L is the length scale of interest. What are the important properties of percolating systems near the percolation limit which could explain why maps of fracture systems in some hydrothermal fields often exhibit fractal geometry with fractal dimensions in the range 1.8-1.9? Why should the geometry of hydrofractures be determined by their connectivity?
- e) Explain, by listing the process steps and connections, how the dehydration rate of certain rocks, that undergo prograde thermal metamorphism, may be used to estimate the time to failure by hydrofracture and thus to formation of mineral veins.
- 3.
  - a) What is the effective stress principle?
  - Show how pore fluid pressure affects shear failure of porous rocks by change of effective stress. Use Mohr diagrams to illustrate this.
- ✓ c) How can strength profiles for the lithosphere be affected by fluid pressure lambda values?
- √ d) Why do thrust faults generally occur deeper in major fault systems than normal faults?
- Ve) What parameters control the surface slope angle of accretionary wedges at convergent plate margins and what are their individual effects?
- How can gravity-driven sliding of regional scale rock units occur on low angle slopes of less than 5°, when the angle of friction for most dry crustal materials is greater than 30°? Which scientists solved this problem in the 1950's and what concept did they introduce to allow its solution?
- 4
  - (a) What are seismic pumping and fault valve behaviour?
  - b) In what geological environment is fault valve behaviour to be expected?
- ✓ c) At what stage in a seismic faulting cycle are extensional veins likely to form?
  Describe the geometry of extensional veins that are associated with thrust faulting.
- ✓ d) What processes give rise to crack-seal veins?
- e) How can fluid flow be maintained in fractures that have a natural tendency to close at deep crustal levels?
- Why do deep crustal rocks, in orogenic metamorphic belts, often show evidence for very high integrated fluid fluxes whilst their permeability is too low for pore-fluid recycling by convection and must only allow single-pass fluid expulsion?

5.

- a) Explain why the bulk physical properties of fluids may not be applicable to thin films and narrow pores in deeper meta-sedimentary rocks. What are the consequences of these different fluid properties for deformation process models?
- b) What is a supercritical fluid and explain the significance of such aqueous fluid phase properties for quartz transport and precipitation?
- c) What is disjoining pressure and what rock materials are expected to show this? In rock deformation and fluid interaction what processes are likely to be affected?
- d) What can equilibrium pore geometry and fluid/rock dihedral angle studies tell us about permeable connectivity in deep crustal rocks and to what degree can laboratory measurements of permeability, on such texturally equilibrated rocks, provide us with values of permeability associated with past deformation and metamorphism?
- e) What is mercury porosimetry and what can it tell us about porous media?

6.

- a) What are the stages of progressive surface hydration after fracture of a quartz crystal in a humid environment? Illustrate your answer with a diagram of surface energy versus hydration.
- b) Why should the ionic concentration of a hydrous solution affect the ease of crack formation in stressed rock samples submerged in the solution?
- c) Describe three limitations to sub-critical crack growth that relate to the fluid transport properties of the host material and the crack-filling-fluid properties.
  - d) Why is there a future potential danger of brine release via fractures from abandoned and shut-in, brine-filled, solution-mined cavities in rocksalt?
  - e) Explain how the anisotropic properties, of fluid filled fractures associated with earthquake faults, could be utilized as an earthquake prediction tool using long term seismic monitoring of shear waves from surrounding sources?